Recipient's Nam	e:					
GENERIC AC	CESSORIES (not mod	el specific)				
Fun Items	☐ License Plate		ottle w Cage			
Leg & Foot Items	☐ Foot Cups (pair): ☐ Small ☐ Medium	□ Knee Ad	ductor Strap	□ Pe	dal Block (1 = ¾")	qty
Hand Items	☐ Variable Range of Motion Kit (only for Hand & Foot Cycles)	□ Wrist W□ X-Small□ Small	raps (Includes right & □ Medium □ Large		rist Brace Mitt: Small Medium	Right □ Left
		FOOT	TRYKES			
	RYKE – (10" wheels, fixed Rear Steering (can convert to	•	•	-20", Leg Length	15-21"	
	ndard Seating System: Bl					
•	rnate Seating System: Si	nappy Seat S	•			
	Accessories: Laterals		☐ Head			
1410 Accessories:	□ Separator (Cube	☐ H-Har	ness - 11.5"		
	es FOOT TRYKE (12" wh Rear Steering (can convert to					
•	ndard Seating System: M			•		
	rnates: Bench Seat					
I = =	ernate Seating System: 1		=			
					□ Skinny Saddle □ ProSeries Lum	
Trunk Support Op	tions: ☐ ProSeries Full Pa ☐ Recumbent 10 De			a Rest	□ Proseries Luff	ibar Pad
☐ Option #3 – Alte	ernate Seating System: G					
	rnate Seating System: Sr	-		for many 1412 r	iders: check seat mei	asurements)
Snappy Seat Access	<u> </u>		Jaterals	· ·	arator Cube	zsurements.)
1412 Accessories:					□9" Extender Tu	be
	□½" Exercise Peda		•		be used with Rear	Steering)
	□½" Expanding Pe	dals	□Hi-Rise Handlel	bars: □ 5" (BMX	() □ 8"	_
□ 1416 DuoSou	See FOOT TRYKE (46"					
NEW: Standard with	ies FOOT TRYKE (16" w Medium Pommel Saddle Sea	at and safety fl	ag			
=	ndard Seating System: 14					
	nates: □ Bench Seat □ Totions: □ ProSeries Full Page		ith bracket ⊔La □ ProSeries Hea	-		e Seat ies Lumbar Pad
Trunk Support Of	otions. Derosenes run eat		☐ Recumbent 10			les Lumbar Pau
□ Option #2 – Alte	rnate Seating System: M					
•	nates: ☐ Bench Seat ☐ ☐ ☐ ☐ ☐			•		ddle Seat
□ Option #3 – Alte	rnate Seating System: G	ray Bucket S	eat			
1416 Accessories:	☐ Rear Steering Kit		Calf & Leg Suppo	orts	□9" extender tul	oe
	☐ H-Harness - 11.5"		Hi-Rise Handleba	ars: 🗆 8" 🗆 12"		
	□1/2" Evercise Pedal	с П	Knee Senarator	□ 2" □ 5"		

Recipient's Name:	

FOOT TRYKES (cont.)

	Pommel Saddle Seat and safety	ed or freewheel drive) – 50-FC-1420 Arm Length 20-30", Leg Length 29-3 flag	5"
□Option #1 – Standard	Seating System: 1400 ProSe	eries Seat Back System (push grip, backpad, large pommel & 2 latera	ls)
Seat Bottom Alternates:	□ Bench Seat □ Tracto	or Seat w/ bracket □ Medium Pommel Saddle Seat □ Saddle Sea	t
Trunk Support Options:	☐ ProSeries Head Rest	☐ ProSeries Full Padded Back ☐ ProSeries Lumbar Pad	
		☐ Recumbent 10 Degree Seat Post	
1 · ·	· .	nmel Saddle Seat/1600 Simple Seatback	
Seat Bottom Alternates	s: □ Bench Seat □ Tractor	Seat w/ bracket □ Medium Pommel Saddle Seat □ Saddle Sea	at
□ Option #3 – Alternat	e Seating System: Gray Buck		
1420 Accessories:	☐ Rear Steering Kit	☐ Calf & Leg Supports ☐ 9" extender tube	
	☐ H-Harness - 11.5"	☐ Hi-Rise Handlebars: ☐ 8" ☐ 12"	
	□½" Exercise Pedals	☐ Knee Separator: ☐ 2" ☐ 5"	
		fixed/freewheel drive) – 50 -FC-1420-XL Arm Lgth 22-34", Leg Lgth 30-45	"
	Pommel Saddle Seat and safety		
· · · · · · · · · · · · · · · · · · ·		eries Seat Back System (push grip, backpad, large pommel & 2 latera	
		or Seat w/ bracket	eat
Trunk Support Op	tions: ProSeries Head Rest		
		☐ Recumbent 10 Degree Seat Post	
		nmel Saddle Seat/1600 Simple Seat Back	
		ctor Seat w/ bracket	eat
□ Option #3 – Alterna	te Seating System: Large Wh	eelchair Seat	
Wheelchair Seat Acces	ssories: Swing Away Arms	☐ Wheelchair Seat Bar Ends	
1420 XL Accessories:	☐ Rear Steering Kit	☐ Calf & Leg Supports ☐ 9" extender tube	
	☐ H-Harness - 11.5"	☐ Hi-Rise Handlebars: ☐ 8" ☐ 12"	
	$\square \%$ " Exercise Pedals	☐ Knee Separator: ☐ 2" ☐ 5"	
☐ High Functioning	Set Up (Both Options Allow Co	pasting) Can be used with 1416, 1420, 1420XL	
		e a complete pedal rotation on their own.)	
		& 1420 – L), 1600 Simple Seat Back, Hi-Rise Handlebars, Exercise	
pedals and safety flag. ML			
Choose Tryke:	□ 1416	□ 1420XL	
		k Brake Kit - <i>necessary</i> for safety) Adds the ability to coast	
☐ Dual Hand Brake (Opt	• • • • • • • • • • • • • • • • • • • •		
		ility to coast and switch gears for hilly terrain — Replaces the 1600 Seri	es
Standard Seating Syste	m (for either option): Pommel	Saddle Seat/1600 Simple Seat Back	
Seat Bottom Alternates:	☐ Bench Seat	☐ Tractor Seat with bracket	
Adaptive Accessories:	□½" Expanding Pedals	☐ Telescoping Loop Handlebars ☐ 1400 Seat Back Set (w/ laterals))

Recipient's Name:			

FOOT TRYKES (cont.)

□JT-2000 FOOT TRYKE	(Recumbent 14-Speed) –	50-FC-2000 (advanced rid	lers only) Arm Length 20-	28", Leg Length 30-41"
JT-2000 Accessories:	□ Exercise Pedals□ Dual Hand Brake	☐ XL Exercise Pedals ☐ Toe Clips	☐ Expanding Pedals ☐ Basket	☐ Digital Speedometer
□ JT-2300-USS FOOT	TRYKE (Recumbent 14-	Speed with Under Seat St	- -	(advanced riders only) 8", Leg Length 30-41"
JT-2300-USS Accessories:	□ Exercise Pedals □ Dual Hand Brake	☐ XL Exercise Pedals ☐ Toe Clips	☐ Expanding Pedals☐ Basket	☐ Digital Speedometer
□ TP-3000 TADPOLE FO	OOT TRYKE (Recumbe	ent 24-Speed) – 50-FC-300 0 Arm Length 17-29", Le	•	
Tadpole Accessories:	☐ Exercise Pedals ☐ Dual Hand Brake	☐ XL Exercise Pedals ☐ Toe Clips	☐ Expanding Pedal	S
Therapist Assembly Notes	or Comments (if any):			

Recipient's Name:	

HAND TRYKES & HAND-FOOT TRYKES

☐ AM-10 HAND TRY	KE (10" wheels & 2.5" crank arms) 50 -	HFC-0105 Arm length 13-17	711
New: Now standard with Re	ear Steering (converts to push bar by in	serting pin) and safety flag	
	OT TRYKE (10" wheels & 2.5" crank a ear Steering (converts to push bar by in	-	
□ Option #1 – Standard	Seating System: Blue Bucket Seat	t	
□ Option #2 – Upgraded	Seating System: Snappy Seat Sys	stem	
Snappy Seat Access	ories: ☐ Head Rest	□ Laterals	
AM-10 Accessories:	☐ H-Harness - 11.5"	☐ Vertical Hand Gr	ips □ Separator Cube
☐ AM-12Small HANI	D TRYKE (12" wheels & 3" crank arm	s) 50-HFC-0110 Arm length	15-20"
New: Now standard with Sa	ddle Seat, Rear Steering (converts to p	ush bar by inserting pin) ar	d safety flag.
	D-FOOT TRYKE (12" wheels & 3" code seat, Rear Steering (converts to p	•	
☐ Option #1 – Standard	Seating System: Saddle Seat & 16	500 Simple Seat Back	
☐ Option #2 – Upgraded	Seating System: Snappy Seat Sys	stem	
Snappy Seat Accesso	ories: Head Rest	☐ Laterals	
□ Option #3 – Upgraded S	eating System: Blue Bucket Seat		
AM-12S Accessories:	☐ H-Harness - 11.5"	☐ Separator Cube	
	☐ Vertical Hand Grips	\square 9/16" Exercise pedals	(hand+foot only)
☐ AM-12 HAND TRY	KE (12" wheels & 4" crank arms) 50-Hi	-C-0210 Arm length 14-23"	
	ear Steering (converts to push bar by in	_	
	OT TRYKE (12" wheels & 4" crank arr ear Steering (converts to push bar by in:	,	
☐ Option #1 – Standard	Seating System: Saddle Seat/160	0 Simple Seat Back	
Seat Bottom Alternates	: □ Bench Seat	□ Pommel Saddle Seat	. □ Medium (11.5x10") □ Large(14x13")
□Option #2 – Upgraded	l Seating System: ProSeries Seat E	Back System (push grip, b	ackpad, saddle seat & 2 laterals)
Seat Bottom Alternates	: □ Bench Seat	□ Pommel Saddle Seat	. □ Medium (11.5x10") □ Large(14x13")
Trunk Support Upgrades	: □ ProSeries Full Padded Back	□ ProSeries Head Rest	☐ ProSeries Lumbar Pad
☐ Option #3 – Upgraded	d Seating System: Gray Bucket Sea	at	
□ Option #4 – Upgraded	d Seating System: Snappy Seat Sys	stem (too small for many A	M-12 riders; check seat measurements.)
Snappy Seat Accessories:	☐ Head Rest	□ Laterals	☐ Separator Cube
AM-12 Accessories:	☐ H-Harness - 11.5"	☐ 9" Extender Tube	□ 9/16" Exercise pedals (hand+foot only)
	□ Knee Separator: □ 2" □ 5"	□ Vertical Hand Grins	

Recipient's Name:	
	RYKE (16" wheels & 5" crank arms) 50-HFC-0411 Arm length 18-27"
	h Rear Steering (converts to push bar by inserting pin) and safety flag.
	OOT TRYKE (16" wheels & 5" crank arms) 50-HFC-0411 Arm length 18-27", leg length 24-36" th Rear Steering (converts to push bar by inserting pin) and safety flag.
	ard Seating System: Saddle Seat/1600 Simple Seat Back
Seat Bottom Alterna	·
□Option #2 – Upgra	ded Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals)
Seat Bottom Upgra	
	ades: ProSeries Full Padded Back ProSeries Head Rest ProSeries Lumbar Pad
	ded Seating System: Gray Bucket Seat
AM-16 Accessories:	☐ H-Harness - 11.5" ☐ 9" Extender Tube ☐ XL Exercise pedals (hand+foot only)
	☐ Knee Separator: ☐ 2" ☐ 5" ☐ Vertical Hand Grips ☐ 9/16" Exercise pedals (hand+foot only)
\square 1020 "Junior" F	HAND TRYKE (20" wheels & 3-Speed drive train) 50-HC-1020 Arm length 19-30"
•	ard Seating: Small Wheelchair Seat (3.5" narrower in width and depth than the Large)
Seat Alternates:	☐ Large Wheelchair Seat
1020 Accessories:	☐ Wheelchair Seat Bar Ends ☐ Swing-Away Arms
	YKE – (24" wheels & 3-Speed drive train) 50-HC-1024 Arm length 22-26"
=	ard Seating: Large Wheelchair Seat (3.5" broader in width and depth than the Small)
Seat Alternates:	☐ Small Wheelchair Seat
1024 Accessories:	☐ Wheelchair Seat Bar Ends ☐ Swing-Away Arms
Therapist Assembly	Notes or Comments (if any):

Amtryke Sizing Chart

TRYKE TYPE (How will the tryke be propelled?)	RIDER LEG LENGTH (Inches from center of hip to bottom of shoe.)	RIDER ARM LENGTH (Inches from middle of shoulder to center of digit crease.)	MODEL	RIDER WEIGHT (Pounds)	RIDER MAX HEIGHT (Inches)	TRYKE WEIGHT (Pounds)	WHEEL SIZE (Inches)	TTRYKE HEIGHT (inches)	TRYKE LEGNTH (inches)	TRYKE WIDTH (Inches)
ot	15-21	13-17	AM-10	55	40	45	10	24	38	21
Hand & Foot	19-24	15-20	AM-12S	150	40	45	12	27	38	24
pu §	21-29	14-23	AM-12	150	47	45	12	36	60	32
На	24-36	18-27	AM-16	175	66	55	16	36	68	33
	15-21	12-20	1410	55	40	45	10	24	38	21
	23-28	16-24	1412	125	42	72	12	13	43	27
	26-32	16-24	1416	175	60	74	16	49	58	30
Foot	29-35	20-30	1420	250	68	74	20	50	64	30
	30-45	22-34	1420XL	275	76	89	20	43	72	29
	30-41	20-28	JT-2000/ JT2300USS	250	74	80	20	48	72	32
	36-45	17-29	TP-3000	300	75	47	20	33	63-70	33
75	up to 37	19-30	1020	250	67	74	20	41	69	30
Hand	up to 41	22-26	1024	250	72	85	24	45	75	32
	All trykes in the Hand & Foot section can be converted to Hand trykes.									

A Center of Shoulder


B Center of Elbow

C Center of Digit Crease

D Center of Hip (greater trochanter)

E Center of Knee

F Bottom of Foot



RIDER'S MEASUREMENTS

Arm Measurements (inches) Total Length

Left A to B + B to C = _____ Right A to B + B to C = ____

Trunk A to D = _____

Leg Measurements (inches) Total Length

Left D to E + E to F = _____

Right D to E + E to F = _____

HELMET SIZING

Sizes Head Circumference Inches

Toddler (XS) 17.7" – 19.3"

Child (S) 20.5" – 21.7"

Youth (L) 20.9" – 22.4"

Adult (XL) 22.4" – 23.6"